

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/665,578	09/19/2003	Jeffrey Zhang	31132.159	6445	
46333	7590 09/15/2006	EXAMINER			
HAYNES AND BOONE, LLP			WOODALL, NICHOLAS W		
901 MAIN ST		ART UNIT	PAPER NUMBER		
SUITE 3100		ARTONII	PAPER NUMBER		
DALLAS, TX	X 75202	3733			
	•		DATE MAILED: 09/15/2000	6	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Apr	olication No.	Applicant(s)				
Office Action Summary		10/	665,578	ZHANG ET AL.				
		Exa	ıminer	Art Unit				
			holas Woodall	3733				
Period fo	The MAILING DATE of this commun or Reply	ication appears	on the cover sheet v	vith the correspondence a	ddress			
A SH WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD F CHEVER IS LONGER, FROM THE Masions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this come period for reply is specified above, the maximum st re to reply within the set or extended period for reply reply received by the Office later than three months and patent term adjustment. See 37 CFR 1.704(b).	AALING DATE (s of 37 CFR 1.136(a). I nunication. tatutory period will apply will, by statute, cause	OF THIS COMMUN In no event, however, may a ly and will expire SIX (6) MO the application to become A	ICATION. Treply be timely filed NTHS from the mailing date of this ABANDONED (35 U.S.C. § 133).				
Status								
1)	Responsive to communication(s) file	ed on						
2a)□	• • • • • • • • • • • • • • • • • • • •	2b)⊠ This actio	on is non-final.					
3)								
,—	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposit	on of Claims				•			
4)⊠	4)⊠ Claim(s) <u>1-20</u> is/are pending in the application.							
•	4a) Of the above claim(s) is/are withdrawn from consideration.							
	5) Claim(s) is/are allowed.							
6)⊠	∑ Claim(s) <u>1-20</u> is/are rejected.							
7)	Claim(s) is/are objected to.							
8)[Claim(s) are subject to restri	ction and/or elec	ction requirement.					
Applicat	on Papers							
9) 又	The specification is objected to by the	ıe Examiner.		•				
	The drawing(s) filed on 19 March 20		accepted or b)⊠ o	bjected to by the Examine	er.			
	Applicant may not request that any obje	ection to the drawi	ing(s) be held in abeya	ance. See 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority (ınder 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).								
a)	a) All b) Some * c) None of:							
	1. Certified copies of the priority documents have been received.							
	2. Certified copies of the priority documents have been received in Application No							
	3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.								
·		,,,,o, a not ot a.	o con uno copico in					
Attachmer	t(s)							
	e of References Cited (PTO-892)			Summary (PTO-413)				
	e of Draftsperson's Patent Drawing Review (mation Disclosure Statement(s) (PTO/SB/08)			o(s)/Mail Date Informal Patent Application				
Paper No(s)/Mail Date <u>08/12/2004</u> . 6) Other:								

Application/Control Number: 10/665,578

Art Unit: 3733

DETAILED ACTION

Specification

1. Applicant is reminded of the proper content of an abstract of the disclosure.

A patent abstract is a concise statement of the technical disclosure of the patent and should include that which is new in the art to which the invention pertains. If the patent is of a basic nature, the entire technical disclosure may be new in the art, and the abstract should be directed to the entire disclosure. If the patent is in the nature of an improvement in an old apparatus, process, product, or composition, the abstract should include the technical disclosure of the improvement. In certain patents, particularly those for compounds and compositions, wherein the process for making and/or the use thereof are not obvious, the abstract should set forth a process for making and/or use thereof. If the new technical disclosure involves modifications or alternatives, the abstract should mention by way of example the preferred modification or alternative.

The abstract should not refer to purported merits or speculative applications of the invention and should not compare the invention with the prior art.

Where applicable, the abstract should include the following:

- (1) if a machine or apparatus, its organization and operation;
- (2) if an article, its method of making;
- (3) if a chemical compound, its identity and use;
- (4) if a mixture, its ingredients;
- (5) if a process, the steps.

Extensive mechanical and design details of apparatus should not be given.

2. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

Application/Control Number: 10/665,578 Page 3

Art Unit: 3733

3. The abstract of the disclosure is objected to because is written in claim format. Also the abstract contains a phrase that implies, i.e. "The present invention provides". Correction is required. See MPEP § 608.01(b).

Drawings

- 4. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: reference numbers 63b and 73b are not shown in the drawings. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 5. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: reference number 36 is not referenced in the specification. Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any

Art Unit: 3733

amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 7. Claims 1-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Ouchi (U.S. Publication 2001/0021842).

Regarding claim 1, Ouchi discloses a device comprising a distal portion and a proximal portion. The distal portion is capable of transitioning between an insertion configuration and an extraction configuration (reference Figure 1 below). Regarding claim 2, Ouchi discloses a device wherein the distal portion comprises at least one engaging member. Regarding claims 3 and 4, Ouchi discloses a device wherein the engaging member is manufactured from a flexible material such as stainless steel (pages 1 and 2 paragraph 16). Regarding claim 5, one definition of a block from www.dictionary.com is a solid mass of wood, stone, etc., usually with one or more flat or

Page 5

approximately flat faces. Using this definition, Ouchi discloses a device wherein the engaging members are secured to a mounting block. Ouchi discloses the engagement members are fastened to a solid connector tube at the basal end. Regarding claim 6, Ouchi discloses a device wherein the engaging member comprises of an extraction prong. Regarding claims 7 and 8, Ouchi discloses a device wherein the extraction prong comprises a transverse flange with a hook-shaped configuration. Regarding claim 9, Ouchi discloses an invention wherein the transverse flanges extend in opposing directions. Regarding claim 10, Ouchi discloses an invention wherein the transverse flanges extend in parallel directions. Regarding claim 11, Ouchi discloses a device comprising at least one extraction prong comprising a transverse flange and a mounting portion for securing the extraction prong. Regarding claim 12, Ouchi discloses a device wherein the extraction prong is capable of transitioning between an insertion configuration and an extraction configuration. Regarding claim 13, Ouchi discloses a device wherein the transverse flange defines a reduced transverse profile. Regarding claim 14, Ouchi discloses a device wherein the transverse flange comprises a hookshaped configuration. Regarding claims 15 and 16, Ouchi discloses a device wherein the extraction prong is manufactured from a flexible material such as stainless steel (pages 1 and 2 paragraph 16). Regarding claim 17, Ouchi discloses a device wherein the mounting portion comprises a mounting block as discussed above. Regarding claims 18 and 20, Ouchi discloses a device with a distal portion comprising a transverse flange that is inherently capable of being used a method comprising the steps of

inserting a surgical instrument having a distal portion able to transition from an insertion

Application/Control Number: 10/665,578


Art Unit: 3733

configuration to an extraction configuration, transitioning the distal end to the extraction configuration, engaging the distal portion with an implant, and exerting an extraction force to extract the implant. Regarding claim 19, Ouchi discloses a device that is inherently capable of being used in the method of claim 18 further comprising the step of displacing the distal portion along at least a portion of the implant. Ouchi shows the device being displaced inside an implant before actuating the implant and exerting an extraction force on the implant.

Page 6

Art Unit: 3733

Figure 1



8. Claims 11 and 17 are rejected under 35 U.S.C. 102(b) as being anticipated by Bauer (U.S. Patent 3, 136, 040).


Regarding claim 11, Bauer discloses a device comprising at least on extraction prong with a transverse flange and a mounting portion to secure the extraction prong

Application/Control Number: 10/665,578 Page 8

Art Unit: 3733

(reference Figure 2 below). Regarding claim 17, Bauer discloses a device wherein the mounted portion comprises a mounting block.

Figure 2



Conclusion

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO-892 for cited references the examiner felt were relevant to the application.

Application/Control Number: 10/665,578 Page 9

Art Unit: 3733

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nicholas Woodall whose telephone number is 571-272-5204. The examiner can normally be reached on Monday to Friday 8:00 to 5:30 EST...

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eduardo Robert can be reached on 571-272-4719. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

NWW

SUPERVISORY PATENT EXAMINER